

Hot water high-pressure cleaner with petrol engine



Clark Hot 10

NEW



Technical data: Clark Hot 10

Code	8.601.0109
Operat. pressure bar	30 ÷ 170
Operat. pressure psi	435 ÷ 2465
l/h	1020
max water temperature	30÷140° C
RPM pump	1650
Engine type	Lombardini diesel
Engine HP	10

Clark Hot 10

- Hot water self-contained unit • Electrical start with full engine functions control • Lombardini diesel engine 15LD400 (air cooling) • Three ceramic pistons, brass linear pump head with separated by-pass valve • Suction and delivery S/S valves. • Thermal safety valve on the by-pass line • Max water inlet temperature 40° C. • Pump-motor gearbox (1650 RPM). • Auxiliary belt driven sturdy alternator • Automatic engine RPM regulator • Integrated detergent suction with external suction probe • Pressure regulator. • Glycerine pressure gauge. • Unique diesel tank for engine and burner • Tough steel main frame

Standard equipment:

- High pressure gun with quick swivel coupling • High pressure lance with fan jet • High pressure hose m10

Optional:

- S/S header tank (high pressure chemical)
- Varnished soundproofing steel cover set code 6.608.0014
- Trolley set with inflateable wheels & handles code 6.608.0020

